DZambelis Limited











Welcome to D Zambelis

D Zambelis have been going strong within the stone industry since 1996 and is still expanding.

Having been working within the stone industry for over 25 years D Zambelis is constantly expanding. We believe that the combination of both technical experience in materials and tooling, with excellent customer service is the key to our success.

We are on hand to assist you, whether it is queries related to a product, technical support, or administrative. Simply call, email or WhatsApp us, and our friendly and informative team will take it from there.

We sell a wide selection of products, including diamond cutting, grinding & drilling tools, polishing diamond & abrasive tools, chemicals, glues & waxes, power tools, stone handling tools and CNC tools. We have one of the largest stocks of core drills for stone in the country from 6mm to 120mm.

We sell and deliver to anywhere in the UK and Ireland, and can guarantee, for UK customers, that your products will be delivered within the next day.

For over 10 years, D Zambelis has been involved in agencies for machinery, covering all aspects of fabrication. We are the agents for prestigious Italian manufacturers, including:

Achilli Srl - Secondary Saws and Machinery.

CMG - Edge Polishers

Dal Forno- Lifting and Handling Equipment

Giacomini Officine Meccaniche - Derrick, Bridge & Gantry Cranes

Italmecc - Water Recycling and Air Purification.

Terzago Macchine - Primary and Secondary saws

OMAG S.p.A. - 5, 6 & 7 Axis CNC Machines





CONTACT OUR SALES OFFICE FOR INFORMATION ON DISCOUNTS AND PRICES



FOR PRICES PLEASE CALL: 01621 742577 OR EMAIL: SALES@DZAMBELIS.CO.UK

Prices are subject to VAT at current rate

We reserve the right to change prices without prior notice

For information on discounts and net prices please contact our sales office

All goods remain the property of D. Zambelis until paid for in full

Free delivery on all orders over £200 ex. VAT carriage charge on smaller orders

Photos are for illustraves purposes

Damaged goods must be notified in writing within 3 days of delivery date. Otherwise no claim can be entered

D. Zambelis reserves the right to levy charges under the late payment of commercial debts act (1998) for all late and overdue payments

Due to the nature of some products, returns are down to the discretion of management.

All safety papers for certain products are available upon request



Contents

DIAMOND CUTTING / SHAPING TOOLS4-:	19
CNC PROFILE TOOLS)-27
ABRASIVES / RESIN POLISHING TOOLS28	3-37
GLUES, WAXES & CHEMICALS	3-45
CONSUMABLES	5-47
SAFETY WEAR	3-51
HANDLING52	?-55
POWER TOOLS 56	5-59
MACHINERY60)-63

PRODUCT SPECIFICATIONS

MATERIAL	MACHINE	USE
Granite	Grinder	Dry
QZ Synthetic Quartz	Polisher	Wet
MB/ Marble	Bridge Saw	
Dekton & Porcelains	CNC & Radial Arm Machines	
Natural Quartzite		











GR / QZ / 🐞 / 🖄

SEGMENTED PREMIUM GRANITE BLADE - RED LASER

Fast and clean cutting, excellent life Perfect for cutting black Indian granite

DIAM 125mm DIAM 150mm DIAM 230mm

Product Code: 101





SEGMENTED GRANITE BLADE - DZAM LASER

Fast and clean cutting. Ideal for medium / soft granites and quartz (man-made stone)

DIAM 125mm DIAM 150mm DIAM 230mm

Product Code: 102





GR QZ K

GR QZ K

TURBO GRANITE BLADE-DZAM TURBO SILVER

Premium Turbo Blade—very fast & clear cutting—for all types of granite. Designed with face segments to stop blade jamming in stone.

DIAM 125mm DIAM 150mm

Product Code: 103





GRANITE VANITY BLADE-DZAM

Premium vanity blade— for all types of granite Ideal for grinding

DIAM 125mm WITH M14 FEMALE THREAD


















ELECTROPLATED VANITY MARBLE BLADES – DZAM

Electroplated blade for dry cutting and grinding of marble & limestone - for everyday usage.

TYPE A - DIAM 125mm Bore Hole 22.2mm TYPE B - DIAM 150mm Bore Hole 22.2mm TYPE C - DIAM 125mm M14 Female Thread

Product Code: 105











ELECTROPLATED STANDARD MARBLE BLADES - DZAM

Electroplated blade for marble & limestone.

DIAM 125mm **CONTINUOUS RIM Bore Hole 22.2mm**

Product Code: 106














SPECIALISED ELECTROPLATED **PREMIUM BLADES**



Made with the highest quality and concentration of diamonds to be used with hard and delicate marbles, such as Crema Marfil, Botticino, etc..



TYPE A - DIAM 125mm Bore Hole 22.2mm TYPE B - DIAM 125mm M14 Female Thread

TYPE C - DIAM 125mm M14 Female Thread - HEART












GR QZ ₩ X











Perfect for making small thin cuts and for joint opening -Blade thickness is 1.5mm

DIAM 125mm

Product Code: 107





ODYSSEY BLADE - DZAM

SUITABLE FOR GRANITE & QUARTZ, MARBLE & LIMESTONE, DEKTON, LAPITEC & NEOLITH


A unique turbo blade that can be used to dry cut all natural stones, as well as Dekton, Lapitec and Quartz

TYPE A - DIAM 125mm Bore Hole 22.2mm TYPE B - DIAM 150mm Bore Hole 22.2mm

TYPE C - DIAM 125mm M14 Female Thread Single Sided TYPE D - DIAM 150mm M14 Female Thread Single Sided

Product Code: 226





QZ DK N

DEKTON / LAPITEC/ NEOLITH BLADE SUITABLE FOR SINTERED MATERIALS DEKTON, NEOLITH, LAPITEC & PORCELAIN

Blade specially designed to be used on an angle grinder to cut Dekton, Lapitec & Neolith.



Product Code: 108









DK 🌞 🞉











SUITABLE FOR GRANITE & QUARTZ, MARBLE & LIMESTONE, DEKTON, LAPITEC & NEOLITH



Vacuum Brazed Vanity Blade with M14 Thread connection, suitable for grinding and shaping a variety of stone - from Portland Stone to Dekton.

DIAM 125mm















CONCAVE BLADES

Designed for cutting curves. Diam. 125mm

TYPE A FOR GRANITE-REINFORCED STEEL TYPE B ELECTROPLATED FOR MARBLE

Product Code: 109













SEGMENTED TUCK POINT BLADE - DZAM

5mm wide segments for cutting grooves, worktop reinforcing strips and other applications

DIAM 125mm - THICKNESS 5mm

Product Code: 110















DIAMOND CUP WHEEL- DZAM

For fast stock removal and grinding With M14 thread female connection

DIAM 100mm **GRIT COARSE GRIT MEDIUM**

Product Code: 111

















VACUUM BRAZED FLUTING WHEELS

SUITABLE FOR GRANITE & QUARTZ, MARBLE & LIMESTONE, & DEKTON, LAPITEC & NEOLITH

Premium quality for making drainer grooves quickly into worktops

DIAM 100mm X WIDTH 10mm GRIT 30/40 DIAM 100mm X WIDTH 10mm GRIT 100 DIAM 100mm X WIDTH 10mm GRIT 200

Available in 10mm (Radius 5mm) & 12mm (Radius 6mm)





























SPECIALISED ELECTROPLATED CORE DRILLS **FOR MARBLE**

Premium electroplated core drill for marble & limestone. Gives clear drilling with no chippings.

Made with the highest quality and concentration of diamonds and suitable to be used with hard and delicate marbles such as Crema Marfil, Botticino, etc..

DIAM 15mm DIAM 35mm DIAM 40mm DIAM 20mm DIAM 25mm DIAM 45mm DIAM 30mm DIAM 50mm

Product Code: 228









MB S S











ELECTROPLATED CORE DRILLS FOR MARBLE - DZAM

Electroplated core drill for marble & limestone - for everyday usage.

Connection - M14 Thread

DIAM 15mm DIAM 45mm DIAM 20mm DIAM 50mm DIAM 25mm DIAM 55mm DIAM 30mm DIAM 60mm DIAM 35mm DIAM 65mm

DIAM 40mm

Product Code: 113















CORE DRILLS FOR GRANITE & QUARTZ

Premium quality core drill Available with M14 female thread to be used on a Polisher and 1/2" Male connection for CNC machines

DIAM 15mm DIAM 70mm DIAM 75mm DIAM 20mm DIAM 25mm DIAM 80mm DIAM 30mm DIAM 85mm DIAM 35mm DIAM 90mm DIAM 40mm DIAM 100mm DIAM 110mm

DIAM 45mm DIAM 50mm DIAM 55mm DIAM 60mm DIAM 65mm












ADAPTORS - DZAM

GAS FEMALE TO M14 THREAD FEMALE TYPE A 1/2 TYPE B 1/2 GAS FEMALE TO STRAIGHT SHANK

TYPE C M14 MALE TO 1/2 MALE

TYPE D M14 MALE TO STRAIGHT SHANK TYPE G **SHANK 10MM TO M14 FEMALE**





SPECIALISED CORE DRILLS FOR SINTERED MATERIALS



Specialised core drills for sintered materials, such as Dekton, Lapitec and

Built with T Shape segments for a safer and longer life, as well as a side hole for fast dust release.

M14 Thread Connection.

DIAM 15mm

DIAM 20mm

DIAM 25mm

DIAM 30mm

DIAM 35mm

Product Code: 257











SUITABLE FOR GRANITE & QUARTZ, MARBLE & LIMESTONE, & DEKTON, LAPITEC & NEOLITH

VACUUM BRAZED CORE DRILLS



Product Code: 224

Vacuum Brazed Core Drills with M14 Connection for a variety of stone - from Portland Stone to Dekton. To be used with a variable speed polisher and water.

DIAM 6mm	DIAM 25mm
DIAM 8mm	DIAM 30mm
DIAM 10mm	DIAM 35mm
DIAM 12mm	DIAM 40mm
DIAM 15mm	DIAM 90mm
DIAM 20mm	DIAM 100mm





























Premium quality Connection—straight shank (10mm) or with adapter to 1/2 gas connection

DIAM 4mm DIAM 6mm **DIAM 8mm** DIAM 10mm DIAM 12mm



Adapter for core bits from straight gas connection to be used on cnc and other automatic m/cs

Product Code: 116

AVAILABLE IN ELECTROPLATED FOR MARBLE & LIMESTONE









DIAMOND WHEEL DRUMS

SUITABLE FOR GRANITE & QUARTZ, MARBLE & LIMESTONE, & DEKTON, LAPITEC & NEOLITH

Vacuum brazed for fast stock removal M14 Thread connection Available in Grit 30/400 & 100

DIAM 10mm DIAM 20mm DIAM 50mm DIAM 75mm

DIAM 30mm

Product Code: 117























FINGER BIT CUTTING TOOLS

Segmented Crown Mill for Incremental Cutting - Diam 20mm To be used on CNC & Radial Arm Machines

Available in:

M10 THREAD M12 THREAD

CROWN MILL AVAILABLE FOR A VARIETY OF MATERIALS: GRANITE, MARBLE, NATURAL QUARTZITE & DEKTON / PORCELAIN

Also short and long adaptors available Additional sleeve available



















VACUUM BRAZED DIAMOND POINTS

SUITABLE FOR GRANITE, MARBLE & LIMESTONE, QUARTZ & DEKTON, LAPITEC & NEOLITH



TOOL SHANK 6mm













Product Code: 119

VACUUM BRAZED PROFILE WHEEL FOR HAND MACHINE - M14 THREAD **SUITABLE FOR GRANITE & QUARTZ**



Grit 30/40 for longer life and better shaping





FOR 20mm - RADIUS 10 FOR 30mm - RADIUS 15





OGEE

FOR 20mm - 7.5+7.5 FOR 30mm - 12.5+12.5







FOR 20mm FOR 30mm

































ELECTROPLATED PROFILE WHEELS FOR HAND MACHINE - M14 THREAD

SUITABLE FOR MARBLE, LIMESTONE & SANDSTONE





1/2 BULL NOSE - SHAPE B

FOR 20mm - RADIUS 10 FOR 30mm - RADIUS 15





OGEE

FOR 20mm - 7.5+7.5 FOR 30mm - 12.5+12.5





DUPONT - SHAPE H

FOR 20mm FOR 30mm





SCALLOP - SHAPE L

FOR 20mm - RADIUS 10 FOR 30mm - RADIUS 15











PROFILE WHEELS FOR HAND MACHINE - PINK LINE - M14 THREAD SUITABLE FOR DEKTON, LAPITEC & NEOLITH





1/2 BULL NOSE - SHAPE B

FOR 10mm - RADIUS 5 FOR 14mm - RADIUS 7 FOR 20mm - RADIUS 10









PROFILE WHEELS FOR SEMI-AUTOMATIC PROFILING MACHINES M8, M10 & 1/2"GAS

THUBAUT, MEM MASTER, GHINES, SEELBACK

FOR ANY OTHER SHAPES AND THICKNESS. PLEASE CALL US



SHAPE V - BULL NOSE

STONE THICKNESS 20MM **RADIUS 10MM** STONE THICKNESS 30MM **RADIUS 15MM** STONE THICKNESS 40MM **RADIUS 20MM** STONE THICKNESS 50MM **RADIUS 25MM**

MATERIAL: GRANITE / QUARTZ - MARBLE, LIMESTONE & SANDSTONE















SHAPE F - DEEP OGEE STONE THICKNESS 20MM

STONE THICKNESS 30MM



MATERIAL: GRANITE / QUARTZ - MARBLE, LIMESTONE & SANDSTONE













SHAPE H - DUPONT

STONE THICKNESS 20MM STONE THICKNESS 30MM



MATERIAL: GRANITE / QUARTZ - MARBLE, LIMESTONE & SANDSTONE















SHAPE L - SCALLOP

STONE THICKNESS 20MM STONE THICKNESS 30MM



MATERIAL: GRANITE / QUARTZ - MARBLE, LIMESTONE & SANDSTONE















SHAPE B

- HALF BULL NOSE

В

STONE THICKNESS 20MM **RADIUS 10MM**

















MATERIAL: GRANITE / QUARTZ - MARBLE, LIMESTONE & SANDSTONE **DEKTON, LAPITEC & NEOLITH**















achievement of a single pass clean cut, that does not affect



DIAM 250mm **SEGMENT HEIGHT 10mm** DIAM 300mm **SEGMENT HEIGHT 10mm**

DIAM 350mm **SEGMENT HEIGHT 15mm OR 10mm** DIAM 400mm **SEGMENT HEIGHT 15mm OR 10mm**

DIAM 450mm **SEGMENT HEIGHT 15mm** DIAM 500mm **SEGMENT HEIGHT 15mm**

OTHER SIZES AVAILABLE

the life of the machine's motor.

Product Code: 121







DIAMOND GRANITE BLADES - PLATINUM

A blade sold for more than 20 years! A Granite and Engineering Stone blade, suitable for saws that have more than 12HP. An everyday blade with high performance cutting and long life.

DIAM 400mm **SEGMENT HEIGHT 15mm** DIAM 450mm **SEGMENT HEIGHT 15mm** DIAM 500mm **SEGMENT HEIGHT 15mm** DIAM 625mm **SEGMENT HEIGHT 15mm** DIAM 825mm **SEGMENT HEIGHT 15mm**











Les Lands





Blades for cutting Man-Made / Engineering Stone like Zodiaq, Silestone and other similar materials

DIAM 300mm DIAM 350mm DIAM 400mm DIAM 450mm DIAM 500mm

Product Code: 123









DIAMOND BLADE FOR QUARTZ & GRANITE VENUS

The blade that has taken Europe by storm! Fast-cutting, smooth cuts and excellent life-span.

DIAM 400mm **SEGMENT HEIGHT 15mm** DIAM 450mm **SEGMENT HEIGHT 15mm** DIAM 500mm **SEGMENT HEIGHT 15mm**



OTHER SIZES AVAILABLE
















APPROVED DEKTON BLADE - ROSSO

SUITABLE FOR SINTERED MATERIALS DEKTON, NEOLITH, LAPITEC & PORCELAIN



DIAM 300mm DIAM 350mm DIAM 400mm DIAM 450mm DIAM 500mm













DIAMOND MARBLE BLADES - EMERALD

A marble and limestone blade that will cut a wide range of marble, including the crystallised marbles such as Crema Marfil, Botticino, Verde Indio, Rain Forest Green.

DIAM 250mm
DIAM 300mm
DIAM 350mm
DIAM 625mm
DIAM 400mm
DIAM 825mm













SPECIALISED DIAMOND BLADES - ONYX

Diamond blade specially designed for cutting onyx and agate materials.

DIAM 300mm DIAM 350mm DIAM 400mm DIAM 450mm DIAM 500mm













DIAMOND BLADE FOR NATURAL **QUARTZITE - STELLAR**

For natural quartzite, such as Taj Mahal, Azul Macumba & Portoro Quartzite

DIAM 350mm DIAM 400mm DIAM 450mm DIAM 500mm





















DIAMOND MILLING WHEEL FOR DEKTON

Flat segmented for milling or channel cutting Other shapes are available upon request

DIAM 350mm **THICKNESS 10mm** DIAM 350mm **THICKNESS 20mm** DIAM 400mm **THICKNESS 10mm** DIAM 400mm **THICKNESS 20mm**

All other sizes wheels and thickness are available upon request

Product Code: 125











DIAMOND MILLING WHEEL **FOR BRIDGE SAW**

Flat segmented for milling or channel cutting Other shapes are available upon request

DIAM 300mm	THICKNESS 10mm
DIAM 300mm	THICKNESS 20mm
DIAM 350mm	THICKNESS 20mm
DIAM 400mm	THICKNESS 10mm
DIAM 400mm	THICKNESS 20mm
DIAM 400mm	THICKNESS 30mm
DIAM 400mm	THICKNESS 40mm
DIAM 500mm	THICKNESS 30mm

All other sizes wheels and thickness are available upon request





























Rounded segmented for making grooves Size of finished grooves 10mm and 12.6mm

DIAM 300mm **THICKNESS 10mm** & THICKNESS 12.6mm DIAM 350mm **THICKNESS 10mm** & THICKNESS 12.6mm DIAM 400mm **THICKNESS 10mm** & THICKNESS 12.6mm

All other sizes wheels and thickness are available upon request























GR QZ &

ROUTER FOR GRANITE & ENGINEERING STONE

DIAMETER: 23mm

1/2" gas connection CONNECTION:

40-45mm **HEIGHT:**

Product Code: 510



ROUTER FOR NATURAL QUARTZITE

DIAMETER: 23mm

CONNECTION: 1/2" gas connection

HEIGHT: 40

Product Code: 510











SMALL DIAMETER FINGER BIT

DIAMETER: 18mm

CONNECTION: 1/2" gas connection

HEIGHT: 40mm

MATERIAL: Granite & Engineering Stone

Product Code: 510











ELECTROPLATED FINGER BIT

DIAMETER: 16-18-20mm. CONNECTION: 1/2" gas connection

Different lengths available

MATERIAL: Marble, Sandstone & Limestone

Product Code: 236





ROUTER FOR SINTERED STONE

TOOL SUITABLE FOR SINTERED MATERIALS **DEKTON, NEOLITH, LAPITEC & PORCELAIN**

DIAMETER: 20mm

CONNECTION: 1/2" gas connection

HEIGHT: 40mm

TWIN SEGMENTED

Product Code: 511









THIN WALL CORE DRILL

DIAM 15mm DIAM 40mm DIAM 20mm DIAM 45mm DIAM 25mm DIAM 50mm DIAM 30mm DIAM 55mm DIAM 35mm DIAM 60mm

For Granite, Quartz, Porcelain and Sintered materials like Dekton & Lapitec 1/2" gas connection

Product Code: 500





dzambelis.co.uk













ELECTROPLATED CORE BITS

DIAMETER: 3-4-5-6mm CONNECTION: Shank 6 or 10mm

USEFUL LENGTH: 20mm

MATERIAL: Marble, Sandstone & Limestone















SEGMENTED STEP CUTTERS

Diameter: 23-28-30mm Connection: 1/2" gas connection **Useful Length:** 25-30-40mm





Diameter: 8-10-12-15mm Connection: 1/2" gas connection

Useful Length: 12mm















WIDIA CONIC MILLS

DIAMETER: 3-5-8mm **CONNECTION:** 1/2" gas connection 30-40-50mm **USEFUL LENGTH:** WORKING LENGTH: 60-85-110-170mm MATERIAL: Marble, Limestone & Soft Sandstone



PCD CONIC MILLS

DIAMETER: 3-5mm

CONNECTION: 1/2" gas connection

USEFUL LENGTH: 15mm WORKING LENGTH: 55mm MATERIAL: Granite,

Hard Sandstone




























WIDIA CARVING TOOL

DEGREE: a30-a60-a90-a105 **CONNECTION:** Shank 10mm WORKING LENGTH: 5mm Marble, Limestone MATERIAL:

& Soft Sandstone

PCD CARVING TOOL

DEGREE: a60-a90-a120 **CONNECTION:** Shank 10-15mm **WORKING LENGTH:** 5mm MATERIAL: Granite, **Hard Sandstone**



















DIAMETER: 130-200mm **GROOVE SIZE:** 12m

CONNECTION: 30-50mm Bore MATERIAL: Granite, Marble &

Engineering Stone















DRAIN BOARD METALLIC MILLS

USEFUL LENGTH: 3mm **GROOVE SIZE:** 12mm

CONNECTION: 1/2" connection

MATERIAL: Granite, Marble & Engineering Stone











ADAPTORS

















GR QZ 8

STUBBING WHEELS - TURBO CROWN WHEEL

50-92mm DIAMETER: **THICKNESS:** 20-30mm

CONNECTION: BH50 - 3+3H - BH10-2+2 **Granite & Engineering Stone** MATERIAL:

OTHER VARIATIONS AVAILABLE UPON REQUEST



STUBBING WHEELS - ELECTROPLATED WHEEL

DIAMETER: 25-50-85mm THICKNESS: 20-30mm

CONNECTION: BH10-2+2 - BH50-3+3H MATERIAL: Marble, Sandstone & Limestone

OTHER VARIATIONS AVAILABLE UPON REQUEST



CNC TOOLS



STUBBING WHEELS - FOR DEKTON

DIAMETER: 50-85mm **THICKNESS:** 20-30mm

CONNECTION: BH10-2+2 - BH50-3+3H MATERIAL: **Dekton & Porcelain**

OTHER VARIATIONS AVAILABLE UPON REQUEST











STUBBING WHEELS - FOR NATURAL QUARTZITE


DIAMETER: 50-85mm THICKNESS: 20-30mm

CONNECTION: BH10-2+2 - BH50-3+3H MATERIAL: **Natural Quartzites**

OTHER VARIATIONS AVAILABLE UPON REQUEST











All profile wheels are available for Granite, Quartz, Marble, Limestone and Sandstone

SHAPE Z

DIAMETER: 20-40-60mm 1/2" Gas-35mm **CONNECTION: HEIGHT:** 25-35-45mm

POSITIONS: 4 Diamonds, 3 Polishing

















SHAPE ZS

DIAMETER: 20-40-60mm 1/2" Gas-35mm **CONNECTION:** 20-30-40mm **HEIGHT:**

POSITIONS: 4 Diamonds, 3 Polishing















SHAPE V

DIAMETER: 60mm **CONNECTION:** 1/2" Gas-35mm **HEIGHT:** 20-30-40-50-60-80mm **POSITIONS:** 4 Diamonds, 3 Polishing













SHAPE F

DIAMETER: 60mm CONNECTION: 1/2" Gas-35mm **HEIGHT:** 20-30-40mm

POSITIONS: 4 Diamonds, 3 Polishing




















SHAPE A

DIAMETER: 20-40-60mm **CONNECTION:** 1/2" Gas-35mm **HEIGHT:** 25-35-45mm

RADIUS:

POSITIONS: 4 Diamonds, 3 Polishing















NATURAL QUARTZITE

PROFILE WHEELS FOR NATURAL QUARTZITE

AVAILABLE IN A RANGE OF PROFILE, BOTH STANDARD AND CUSTOMISED. IN VARIOUS DIAMETERS, THICKNESSES AND **CONNECTIONS**









ELECTROPLATED FOR MARBLE

PROFILE WHEELS FOR MARBLE, **SANDSTONE & LIMESTONE**

AVAILABLE IN A RANGE OF PROFILE, BOTH STANDARD AND CUSTOMISED. IN VARIOUS DIAMETERS, THICKNESSES **AND CONNECTIONS**



















PROFILING WHEELS FOR DRAIN BOARD

DIAMETER: 112mm CONNECTION: **BH35**

MATERIAL: **Granite & Engineering Stone**

DEGREE: 30-45-60°

POSITIONS: 1 Segmented, 2 Continuous











RESIN POLISHING WHEELS - CHAMFER

DIAMETER: 100mm

CONNECTION: BH35-Magnetic **DEGREE:** 30-45-60°

GRITS: 50-100-200-500-1000-2000-3000

MATERIAL: **Granite & Engineering Stone**

RESIN POLISHING WHEELS -FLAT SURFACES

DIAMETER: 100mm

CONNECTION: BH35-Magnetic **DEGREE:** 30-45-60°

50-100-200-500-1000-2000-3000 **GRITS:**

MATERIAL: **Granite & Engineering Stone**









SHAPE Z - LINEBUSTER

45-60-78mm DIAMETER: CONNECTION: 1/2" Gas-35mm

HEIGHT: 35-40-45-55-65-105mm























































































































WET DIAMOND DISCS

Excellent finish results—suitable for all granite types—mainly dark ones Velcro-backed - Diam. 100mm (4")

GRIT 50G GRIT 800G GRIT 100G **GRIT 1500G** GRIT 200G **GRIT 3000G** GRIT 400G **GRIT BUFF**

Product Code: 127











COPPER BONDED DIAMOND DISCS

Excellent for removing polishing and creating a honed finish.

DIAM 100mm (4") **GRIT 50** DIAM 100mm (4") **GRIT 100** DIAM 100mm (4") **GRIT 200**

Product Code: 128















4 STEP PADS

To be used wet or dry, on granite & quartz. Great for polishing contour edges on a flexible backing pad.

Velcro-backed - Diam. 100mm (4")

STEP 0

STEP 1

STEP 2

STEP 3

Product Code: 129













DRY DIAMOND DISCS-CERAMIC

Excellent finish results—suitable for all granite types—mainly dark ones


Velcro backed - diam 100mm 4"

GRIT 50G GRIT 800G GRIT 100G GRIT 1500G GRIT 200G **GRIT 3000G** GRIT 400G **GRIT BUFF**









DIAMOND PADS FOR ARTIFICIAL STONE

Excellent finish results — suitable for all types of man-made materials

VELCRO BACKED - DIAM 100mm 4"

GRIT 50G GRIT 800G GRIT 100G **GRIT 1500G** GRIT 200G **GRIT 3000G**

Product Code: 131

GRIT 400G



HYBRID - ROSSO







4 STEP PADS FOR DEKTON, GRANITE & QUARTZ,

To be used wet or dry, on Dekton, porcelain, granite & quartz. Great for polishing contour edges on a flexible backing pad. Velcro-backed - Diam. 100mm (4")

STEP 0 STEP 1 STEP 2 STEP 3











DRAINING GROOVE POLISHING WHEELS

For 12.7mm or 10mm groove size Suitable for Granite & Quartz. Diameter 100mm (4")

GRIT 50 GREEN **GRIT 400 YELLOW** GRIT 100 BLACK **GRIT 800 WHITE** GRIT 200 RED **GRIT 1800 BLUE**

Product Code: 132
















DIAMOND HAND PADS

GREEN 60G **BLACK** 100G **RED** 200G **YELLOW** 400G WHITE 800G **BLUE** 1500G **ORANGE** 3000G

Product Code: 133











DIAMOND BELTS

Suitable for Granite & Quartz

Used with expanding rubber drums. Half moon pattern maximizes life, cutting speed and leaves an even surface.

GRIT 60 **GRIT 600 GRIT 120 GRIT 1000 GRIT 200 GRIT 8000**

GRIT 400

Product Code: 134













HEIGHT 42mm DIAM 75mm HEIGHT 42mm DIAM 50mm

BRUSHES FOR ANTIQUE STYLE FINISH













With M14 thread & Snail-lock.

GRIT 36 GRIT 180/220 GRIT 46 GRIT 320

GRIT 60/80 GRIT 120







PRO EDGE DISCS — COPPER BONDING

For edge polishers - snail fitting Used to square edge before polishing.

DIAM 125mm 5" GRIT 50 DIAM 150mm 6" GRIT 50 DIAM 125mm 5" GRIT 100 DIAM 150mm 6" GRIT 100

Product Code: 136













EDGE POLISHING WHEELS

Use wet with edge polisher. For a variety of materials. CONNECTION SNAIL FITTING-125mm (5") & 150mm (6")

GRIT 50G GRIT 1000G GRIT 2000G GRIT 100G GRIT 200G GRIT BUFF

GRIT 500G

Product Code: 137















COPPER BONDING EDGE WHEELS — FOR BEVEL

Use wet on edge polisher. Excellent for making a bevel on a flat edge polisher. As the wheel is copper it has a longer life than traditional resin bevel wheels






















Silicon carbide polishing papers.

DIAM 125mm 5"

GF	RIT 40	BOX OF 50	GRIT 500	BOX OF 100
GF	RIT 60	BOX OF 100	GRIT 600	BOX OF 100
GF	RIT 120	BOX OF 100	GRIT 800	BOX OF 100
GF	RIT 220	BOX OF 100	GRIT 1000	BOX OF 100
GF	RIT 320	BOX OF 100	GRIT 1200	BOX OF 100
GF	RIT 400	BOX OF 100		

Product Code: 140





GR QZ MB NQ \$



Silicon carbide polishing papers with Velcro Backing

DIAM 125mm 5"

GRIT 40	BOX OF 50	GRIT 400	BOX OF 50
GRIT 60	BOX OF 50	GRIT 600	BOX OF 50
GRIT 120	BOX OF 50	GRIT 800	BOX OF 50
GRIT 220	BOX OF 50	GRIT 1200	BOX OF 50
GRIT 320	BOX OF 50		

Product Code: 264

















Silicon carbide polishing papers with Velcro Backing

CARBIDE DISCS — SAIT - PLAIN

DIAM 125mm 5"



Product Code: 139







KGS - SWIFLEX® - SDA POLISHING DISCS

Works faster than traditional carbide papers - for dry and wet polishing. Has a higher grit range to achieve a glossier finish

DIAM 115mm

GRIT 60	GRIT 800
GRIT 120	GRIT 1000
GRIT 200	GRIT 1200
GRIT 400	GRIT 3000
















PACK OF 5 Product Code: 263









For stock removal and shaping

DIAM 125mm 5" DIAM 178mm 7"

GRIT 16 GRIT 16 GRIT 24 GRIT 24 **GRIT 36 GRIT 36 GRIT 60 GRIT 60 GRIT 120 GRIT 120** PACK OF 5 PACK OF 5

Product Code: 141















FIBRED SILICON CARBIDE DISCS — VSM

GRIT 36 GRIT 24 **GRIT 60 GRIT 36 GRIT 120 GRIT 60 GRIT 120**

PACK OF 25 PACK OF 25

Product Code: 142

















CONICAL "CUP" GRINDING WHEELS — SIMAFLEX With M14 thread GRIT 24



Product Code: 143





















SIMAFLEX





CYLINDRICAL "STRAIGHT" GRINDING WHEELS - SIMAFLEX

With M14 female thread

GRIT 24

GRIT 36

GRIT 60

GRIT 120

GRIT 220





























CARBIDE GROOVING WHEELS — SIMAFLEX

DIAM 150mm For 10mm groove size - Radius 5mm

GRIT 60 **GRIT 120 GRIT 220**

Product Code: 145

















STITCH MOP

To be used with the adaptor below

DIAM: 150 mm x 2 sections

Product Code: 155



ADAPTOR FOR STITCH MOP

M14 Polisher adaptor

For use with polishers. M14 thread.

Internal bore=M14 thread.

Length total=104mm

Product Code: 156

Length of taper=50mm Diameter of body=22mm Taper=6mm>22mm



100% LAMBS-WOOL BONNET

100% Pure Lambs-Wool Bonnet for Buffing & Final polishing

DIAM: 150mm





RUBBER BACKING PADS - STICK ON SANDING PAPERS

For plain backed 125mm 5" (VSM) abrasive papers.

M14 thread DIAM: 125mm Flexible type Product Code: 146



VELCRO BACKING PADS - FOR VELCRO SANDING PAPERS

For Velcro-backed sanding pads M14 thread

DIAM: 125mm

Product Code: 148



NYLON BACKING PADS - FOR FIBRE DISCS & REINFORCED DISCS

For fibred discs and triple-coated discs

DIAM: 123mm DIAM: 173mm

Product Code: 149



VELCRO BACKING PADS FOR KGS - SWIFLEX® - SDA POLISHING DISCS

M14 thread DIAM: 115mm Product Code: 263









VELCRO "EXTRAGRIP" PADS - HARD

For Velcro backed diamond pads M14 thread

DIAM: 100mm Rigid type

Product Code: 150



VELCRO FLEXIBLE PADS - SOFT

For Velcro backed diamond pads M14 thread

DIAM: 100mm Flexible type

Product Code: 151



VELCRO PAD - J HOOK - MEDIUM

For Velcro backed diamond pads M14 thread

DIAM: 100mm SPONGE TYPE Product Code: 152



VELCRO ALUMINIUM PADS

For Velcro backed diamond pads. M14 thread

DIAM: 100mmProduct Code: 153





dzambelis.co.uk

FELT MOP

For use with polishing compounds - M14 thread

DIAM: 125mm













Pasty compound characterized by high thixotropy. Very suitable for vertical jobs and for repair of material. Once hardened, it takes on all the characteristics of the stone.

GREY

It can be easily coloured by the addition of paste pigment

Glue comes with 30ml hardener.

750ml **BLACK BEIGE** 750ml WHITE 750ml

Product Code: 158





750ml





GR QZ MB NQ

JOLLY TIXO GLUE - ILPA

Pasty compound characterized by high thixotropy. Very suitable for vertical jobs and for repair of material. Once hardened, it takes on all the characteristics of the stone.

It can be easily coloured by the addition of paste pigment

Glue comes with 30ml hardener.

GREY 1.25Kg **BLACK** 1.25Kg

BEIGE 1.25Kg WHITE 1.25Kg

Product Code: 521







TRANSPARENT SOLID - SPRINT

Pasty compound characterized by high thixotropy and transparency. Very suitable for vertical jobs and for repair of material. Once hardened, it takes on all the characteristics of the stone. Glue comes with hardener

It can be easily coloured by the addition of paste pigment









Bulk

Product







750ml 4ltr Product Code: 159

AVAILABLE IN

TRANSPARENT SOLID - ILPA

Pasty compound characterized by high thixotropy and transparency. Very suitable for vertical jobs and for repair of material. Once hardened, it takes on all the characteristics of the stone. Glue comes with hardener

It can be easily coloured by the addition of paste pigment



1Kg 4.4Kg Product Code: 522











ASTICE PER MARI



















TRANSPARENT FLUID — SPRINT

Flowing transparent glue for marbles and stones based on polyester resin. Especially suitable for invisible repairing and artistic precision jobs. Can be easily coloured by the addition of paste pigments. Glue comes with hardener.

750ml

Product Code: 160

















TRANSPARENT FLUID - ILPA

Easy to use with its extreme versatility make the GOLD product unique with high quality; it does not turn yellow on the applied surface over the time. The liquid formula is studied mainly for grouting the slabs horizontally, ensuring efficient and effective results for a long time.



Product Code: 522















POLICRYSTAL - SPRINT

Polyester colourless. For marbles, stones and granites, based on polyester resins. Its main feature is to be totally colourless and permanently lightresistant. Especially suitable for invisible repairing and artistic precision jobs; cementing and filling jobs of white marbles, without forming halos; treatment of travertine slabs and for filling up the hollow parts, without altering their aesthetic features. Glue comes with hardener.



Product Code: 161







GLASS 100% CLEAR GLUE-ILPA

Polyester colourless. For marbles, stones and granites, based on polyester resins. Its main feature is to be totally colourless and permanently lightresistant. Especially suitable for invisible repairing and artistic precision jobs; cementing and filling jobs of white marbles, without forming halos; treatment of travertine slabs and for filling up the hollow parts, without altering their aesthetic features. Glue comes with hardener.







































EPOXY R5A/B - 2K SYSTEM FOR VERTICAL USE - SPRINT

SUITABLE FOR ANY TYPE OF STONE

Specialised stronger solid epoxy glue Available in transparent, which can be further colour enhanced using the traditional paste pigments. It is recommended to be used for external or internal purposes and mainly for mitring. Both parts need to be purchased to work.

Product Code: 212









IRIDIUM EPOXY GLUE - ICR SPRINT.

SUITABLE FOR SINTERED MATERIALS- DEKTON, **NEOLITH, LAPITEC & PORCELAIN**

Excellent adhesion on natural and synthetic stone. Quick hardening - Excellent surface drying - can be coloured using SPRINT paste pigments for GLUE. Glue comes with hardener.

TRANSPARENT 750ml WHITE 750ml

Product Code: 212









URANIUM GLUE - ILPA

SUITABLE FOR SINTERED MATERIALS- DEKTON, **NEOLITH, LAPITEC & PORCELAIN**

Excellent adhesion on natural and synthetic stone. Quick hardening - Excellent surface drying - can be coloured using SPRINT paste pigments for GLUE. Glue comes with hardener.

TRANSPARENT 1Kg WHITE 1Kg

Product Code: 524





POLYESTER RESIN HARDENER — SPRINT



30ml 180ml



PASTE PIGMENT







Paste Pigments. A concentrated inorganic pigment paste. Easy to mix, high colouring power. Especially formulated to give all polyester glues the same colour shade as the marbles and the stones employed. Light resistant, weather-proof.

BLACK GREEN BLUE **YELLOW**

Product Code: 163

BROWN WHITE RED

















QZ NQ MB

SOLID WAX - SPRINT

Polishing protective product with high concentration of active ingredients, to use on marbles, stones and granites. Very easy to apply, offers an all around gloss, high efficiency, long-lasting protection. It's light resistant, waterproof, non-yellowing.

BLACK 1 Lt

WHITE 1 Lt











GLOSSY - SPRINT

Liquid wax for marbles, stones and granites. Easy application, high efficiency. Offers an all special gloss and is especially meant to give a mirror-like look to surfaces already polished. Is light resistant, water proof, non-yellowing and resistant to acids.

750ml









Product Code: 166



EXTRA LUX - AUTO POLISH - ILPA

Is a self-polishing varnish that gives a long-lasting gloss effect to the treated surface. In addition, to give the perfect polish, EXTRA LUX creates "wet effect" enhancing the original colour of the stone, increasing brilliance and also water repellency.

The application can take place on materials such as marble, granite, synthetic marble, and light and dark stones in indoor and outdoor environments.

750ml

Product Code: 521







BRILLO-ILPA

Brillo is a silicone based wax. It is excellent for the maintenance of marbles, granites and natural stones, also suitable to protect kitchens and bathrooms from dirt and smog. The components of its formula carry out a triple action on the treated stones. Brillo cleans both grease and smog, polishes and shows up any stone's colours and veins, finally it waterproofs from oil, wine and water stains

750ml

















BRICK WAX

Available colours: black, white

Product Code: 167

















Hot filling wax that is used to fill imperfections in all types of marble or granite

1kg - 1 STICK **BLACK BROWN**

> WHITE **GREEN** BEIGE **RED**

Product Code: 170





















CORRECTOR

It permanently corrects natural small marks and marks from grinding, polishing etc. on marble & granite. It also enhances the original shade and renews old surfaces Available colours: black

1lt

Product Code: 171







ANTIDROP REPELLENT OIL & WATER - SPRINT

Waterproof and oil proof protector for marbles, stones and granites. Just one product protects, impregnates, waterproofs and oil proofs marbles, stones and granites. Solvent-based, for professional use.



750ml 5lt

























ANTIQUO – SPRINT

Resin based colour enhancing sealer. Same as ager, it gives a 'wet look' on stone, enhancing it and giving it a dark deep colour like when the stone is wet

Solvent-based, for professional use.

750ml

Product Code: 174













DILUENTE GLUE THINNER — SPRINT

Special thinner for diluting liquid or solid glue. Perfect for repairing fine cracks It can be use with any colour stone glue

5ltr

Product Code: 164









GR MB NQ



DILUENTE GLUE THINNER — ILPA

Special thinner for diluting liquid or solid glue. Perfect for repairing fine cracks It can be use with any colour stone glue

1ltr















Product Code: 176

STEEL MEASURING TAPES - DZAM

Premium quality - metric & imperial Coloured plastic tape cases with locking button and belt clip. Power return blade has clear graduations, metres into cm/mm & feet

Available in 5m-16 feet



LATEX GLOVES



Box of 100

Product Code: 177

SUPER GRIP GLOVES



Pack of 12 pairs

Product Code: 178



AEROSOL SPRAY GLUE

Spray Adhesive to be used with Plain Backed sanding papers Available in 500ml Aersol Tins Bulk product - box of 12



Product Code: 184

FLEX KLEBBER



400gr



Product Code: 185

TIPP-EX FLUID PEN











GLUE SCRAPER – DZAM

Fully polished steel blade with soft grip handle and hang hole

2" - 50mm soft grip

Product Code: 183

STANLEY BLADES



Box of 100

Product Code: 179

SQUEEGEES



Available sizes: medium & large 18" 30"

Product Code: 181



LUMBAR CRAYONS

Available colours: black, white Box of 12

Product Code: 186



CHINA GRAPH PENCILS

Available colours: black, red, white, yellow Box of 12

Product Code: 187



MASKING TAPE

50m x 2" Pack of 6 rolls

Box of 36 rolls Product Code: 188



DUCT / GAFFER TAPE

50 Metres x 2" Box of 24 rolls Available per roll

















2405 FF2S DISPOSABLE DUST MASKS

The Moldex 2405 Classic FFP2D valved disposable mask is for protection against fine toxic dusts and water and oil based mists and fumes e.g. as FFP1 but at higher concentration. Also protects against Brake Dust, Concrete Dust, Lead Dust and Fume, Welding, Wood Dust, Zinc Oxide Fume.

Complete with Ventex Valve

Assigned Protection Factor: 10
Approved to EN149: 2001 FFP2D

Product Code: 190



2505 FF3D DISPOSABLE DUST MASKS

BOX OF 10

Product Code: 191-2505

The Moldex 2505 New Generation FFP3D disposable mask is for protection against all dusts, oil and water based mists and fumes e.g. as FFP2 but at higher concentration. Also protects against Ceramic Fibres, Chromates, Chromium, Cobalt, Nickel, Microorganism, Radioactive or Biochemical Active Substances Foam nose flange for increased comfort New strap clip for ease of use Complete with Ventex Valve

Assigned Protection Factor: 20

Approved to EN149:2001 FFP3D



2555





HALF MASK SERIES 7000—EASYLOCK

Mask body made of soft, TPE materials which is gentle on the skin. Easy maintenance and cleaning without tools with easylock® filter system: no additional adaptors or parts necessary, drop down option: mask can be worn around the neck during breaks. Tested and certified to en 140:1998





dzambelis.co.uk

FULL MASK SERIES 9000—EASYLOCK

Full face mask offering protection for the whole face They fulfil higher requirements in terms of seal compared to half masks

Product Code: 193



PARTICULATE FILTER FOR MASK 7000 & 9000 - EASYLOCK



Particulate filters can either be connected with the gas cartridge or directly to the mask body

Product Code: 194

FUME FILTERS FOR ALL FACE MASKS -**EASYLOCK**



Gas—fume filters and pre assembled filters tested and certified to en 14387:2004 + a1:2008







EARPLUG STATION

The Moldex 7850 ear plug stations are a unique dispensing concept providing the user with easy access to hearing protection from a sealed and hygienic source. The unit is disposable and completely recyclable providing for convenient servicing. Eliminates individual paper/poly bag packaging.

Spark Plugs Soft - H:34 M:32 L:31. SNR:35

Approved to EN352-2

500 Pairs-unit - Bracket sold separately.

Product Code: 196 **Station**

Product Code: 196 Bracket





ROCKET REUSABLE CORDED EAR PLUGS

Easy-grip handle allows reusable ear plugs to slip into the ear Pocket-pak® provides hygienic storage of ear plugs between uses.

Product Code: 197





M5 HEADBAND EAR MUFF

This multi position ear muff provides a 34 dB SNR when worn over the head. The special moulded grips make fitting and alignment quick and easy. Soft coat covering helps muffle transmitted noise.

Tested and certified to EN 352-1:2002







RUBBER APRON

Heavyweight and durable apron

Size 48" x 36"

Product Code: 199



SAFETY SPECS - DRAEGAR

Resistant coated

Approved to EN166F

Product Code: 200



SAFETY GOGGLES PERFECT TO USE WHEN WORKING WITH **ABRASIVE WHEELS**

The material of the X-pect 8310 spectacles is very robust and stable due to polycarbonate material but is still extremely lightweight providing high comfort even during intensive use

SLAB TROLLEY CLAMP

Designed with self-locking jaws for manoeuvring stone slabs around the factory, or on the work site. The rubberised jaw and base protect slabs against chipping and scratching while transporting. The self-locking jaws' clamping strength is proportional to the weight of the slab, therefore the heavier the slab, the larger the clamping force. The trolley has 14" x 4" (350mm x 100mm) diameter pressurized wheels and a 5" (125mm) heavy duty swivel caster that increases stability and flexibility in narrow and on rough surfaces.

Grip range: 10 - 100mm | Loading capacity: 500kgs Length: 670mm | Width: 563mm | Height 490mm

Product Code: 202





CARRY CLAMPS

They are designed for safely lifting and transporting stone slabs without using a forklift truck. The fully vulcanized rubber pads provide added grip and prevent damage to the slabs. The weight of the slab exerts a sufficient clamping force for such a simple lifting device.

Grip range 0-40mm | Dimensions: 240 x 120 x 285 mm Lifting capacity per pair 200 kg

Product Code: 203





SLAB WEDGE

Minimise the likelihood of worker injuries while moving slabs more efficiently. The Slab Wedge can create an ideal space between the slabs to place the lifting out of the fall shadow zone. This safety tool helps promote safety in the workplace.

LENGTH: 120mm WIDTH: 63mm **HEIGHT:** 255mm **NET WEIGHT:** 0.4kg





Adjustable knob

90° CLAMP

Have you ever been frustrated with mitre joints? Counter tops not perfectly square with the apron? Need a quick and easy solution?

Material height: 7 7/8"(200mm) | material thickness: 1 1/2"(40mm) Channel length: 23 3/4" (600mm) | channel width: 4 1/3" (9.5Mm)





TUG DOLLY - ADT25-W

Dolly with compact frame that fits well in narrow spaces

Made of aluminum making them lightweight but they can carry up to 450kgs stone

4 large solid wheels to provide sturdy support

With white rubber for protection

Grip range: 0 - 130mm | Loading capacity: 450kgs Length: 710mm | Width: 382mm | Height 307mm

Product Code: 258





TRIPLE SUCTION LIFTER

Three 120mm diam suction cups Aluminium handle powdered coated black High quality rubber for extended life

Product Code: 210





DOUBLE SUCTION LIFTER

Two 120mm diam suction cups Aluminium handle powdered coated black High quality rubber for extended life

Product Code: 211





FLAT VACUUM CUPS FOR KITCHENS TOPS - ABACO

With the seam setter, your counter-tops will be perfectly joined & level. With 2 large 200mm suction cups, the seam setter is strong enough for the required task







ONE STOP A-FRAME



The One Stop A-Frame is designed for transporting material and storing it in the shop or at the job site. Your slab/glass sheets are placed on special rubber profiles and secured with four (4) ratchet securing bars. The centre section can be used to store tools, small back splash, etc..

- The frame features two (2) eyelets that can be used to lift the frame with an overhead crane. Space is provided on all base sides for forklift transport. Quick release mounting pins change the unit from a mobile A-frame to a stationary A-frame

NET WEIGHT (kg) 167-LIFTING WITH EYELETS (kg): 2500-ROLLING CAPACITY (kg) 2000 DIMENSIONS 1824x1100x1550mm



Product Code: 209

DEMOUNTABLE FRAME - ADF4932



The sturdy design of the Abaco Demountable Frame (ADF4932) prevents material from chipping off and keeps the finished work high off the ground.

Black rubber strips are mounted on the bottom and back support to prevent slippage. It has 4 ratchet straps to hold loads steady.

It also features 2 eyelets on the top bar and a double bar base with wide slots that fit perfectly for lifting the frame with an overhead crane or forklift truck

It has 4 solid casters for easy moving, two manoeuvred by the pulling handle.

See the specification chart below for load capacity and dimensions.



SINK SUPPORT SYSTEM

Add support for sink cut outs during moving and installation

Versatile design uses twenty suction cups with two high strength support rails Suction cups move quickly and easily on the rails for adjustments

Add support for sink cut outs during moving and installation

Versatile design uses twenty suction cups with two high strength support rails Suction cups move quickly and easily on the rails for adjustments















FORKLIFT BOOM -

Designed for use on 2 & 2.5 Ton forklift trucks. With its telescopic boom it offers versatility with maximum visibility for the driver.

Fully extended it reaches up to 94.5" (2400Mm). Maximum load (when fully extended): 500 kg - length range - 1525-2400mm

With CE Certification

Product Code: 207



SWIVEL SHACKLE

The swivel shackle can be used with a forklift boom and a stone lifter. It gives the ability to rotate the lifting material 360°

Product Code: 208







SLAB LIFTER

Compact, safe, made especially for transporting

With white rubber

LIFTER 50-GRIP RANGE 10 -50mm LIFTER 60-GRIP RANGE 20 -60mm LIFTER 75-GRIP RANGE 30-75mm

With CE Certification

Product Code: 206







SKY RIDER LIFTER

SUITABLE FOR SINTERED MATERIALS **DEKTON, NEOLITH, LAPITEC & PORCELAIN**

- -Clamp plates Opening and Closing mechanism is fully automatic.
- -It is suitable for both natural and artificial stones slab in various thickness ranging
- -The rubber pads covered the clamp plates not only increase the gripping force but also prevent scratches or damages to the slab being carried during operation.

LIFTER 20-GRIP RANGE 0 -20mm LIFTER 30-GRIP RANGE 0 -30mm WHITE RUBBER

With CE Certification







VARIABLE SPEED ANGLE GRINDER & POLISHER - GA5040C



Makita 125mm GA5040C Angle Grinder / Polisher - Variable speed

Good for polishing stone and occasional cutting

Available in 110v and 240v Specifications:

- 125mm disc
- 2800 11000 rpm
- 1,400W (SJS 2 System)

Product Code: 214



125mm (5") ANGLE GRINDER - GA5021



Makita 125mm GA5021 Angle Grinder

Available in 110v and 240v Specifications:

- 125mm disc
- 12000rpm
- 1050W (SJS 2 System)

Product Code: 216



125mm (5") ANGLE GRINDER - GA5040R



Makita 125mm GA5040 Angle Grinder

Available in 110v and 240v Specifications:

- 125mm disc
- 11.000 r-min
- 1.100W (SJS 2 System)









Makita 125mm SA504C Variable Speed Polisher

Available in 110v and 240v Specifications:

- 125mm disc
- 2000-7800 rpm-min variable speed
- 1.400W (SJS 2 System)

Product Code: 215



125mm (5") WATER POLISHER PW5000C



Ideal power tool for wet polishing stone with variable speed.

Available in 110 volts only Soft start- Constant speed under load Speed control dial for setting the optimum speed

Product Code: 218



MAKITA REPLACEMENT CARBON BRUSHES



191978-9 Makita Brushes for 5040 Models - SET CB318

Product Code: 239



230mm (9") ANGLE GRINDER GA9020




Makita 230mm GA9020 Angle Grinder

Available in 110v and 240v Specifications:

- 230mm disc
- 6600rpm
- 2,000W (SJS 2 System)











VARIABLE SPEED POLISHER - L1506VR



Flex 125mm L1506VR Variable Speed Polisher

Available in 110 or 240V Specifications:

- 125mm disc
- 2200-6800 rpm
- 1200W

Product Code: 221



125mm (5") SINGLE SPEED WET POLISHER - LW1503



Flex 125mm LW1503 Water Polisher 110V

Specifications:

- 125mm disc
- 3,700 rpm
- 500W

Product Code: 220



125mm (5") VARIABLE SPEED WET POLISHER - LE12-3



Flex 125mm LE12-3 Variable Speed Wet Polisher 110V

Specifications:

- 125mm disc
- 1200-3700 rpm
- 1150W











LM30-FLOOR MACHINE-ACHILLI

Sturdy and compact structure available with prismatic/ Frankfurt or comma type abrasive holder plate machine level adjustment by eccentric wheels axis rotate wheels to help machine movements

Prismatic—cassani segments grits 18 / 24 / 36 / 80 / 120 / 220 / 320 / 500 / 1000 / 5 extra available in stock

Abrasives available in stock

Product Code: 222





MASTER 3500

Portable electric contouring machine

Master 3500 is a portable electric contouring machine with "WATER SYSTEM" base plate which creates a gliding water film between the machine and the slab. This system immediately eliminates the stone pieces broken whilst working without scratching the surfaces. The Master 3500 machine is built with high-quality materials chosen between the best producers of rough materials.

MASTER0006 Master 3500 with "Water System"


MACHINES AVAILABLE IN OUR SHOWROOM IN ESSEX. COMPLETE MACHINERY CATALOGUE CAN BE FOUND ON OUR WEBSITE






















MACHINES AVAILABLE IN OUR SHOWROOM IN ESSEX. COMPLETE MACHINERY CATALOGUE CAN BE FOUND ON OUR WEBSITE





ITAL MECC


































MACHINERY

dzambelis.co.uk

MACHINES AVAILABLE IN OUR SHOWROOM IN ESSEX. COMPLETE MACHINERY CATALOGUE CAN BE FOUND ON OUR WEBSITE













42-44 Cutlers Road, South Woodham Ferrers, Essex, CM3 5XJ

www.dzambelis.co.uk